



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TURKEY.

Movement of pilgrims at the quarantine camp at Tor.

[From the Bulletin Quarantenaire, Alexandria, May 14. Translated in this Bureau.]

May 7.—Departure of steamer *Abdel Moneim* with 759 pilgrims. Destination, Tangier.

May 10.—Departure of steamer *Behera* with 518 pilgrims. Destination, Constantinople.

May 11.—Arrival of Greek steamer *Galaxidion* from Yambo with 400 pilgrims. Disinfection terminated May 11.

Foreign and insular statistical reports of countries and cities—Yearly and monthly.

AFRICA—*Lourenço Marquez.*—Month of March, 1903. Estimated population, 7,000. Total number of deaths 40, including 7 from phthisis pulmonalis.

Sierra Leone.—Week ended April 17, 1903. Estimated population, 40,000. Total number of deaths, 9. No contagious diseases.

Week ended May 1, 1903. Total number of deaths, 10. No contagious diseases.

BAHAMAS—*Dunmore Town.*—Two weeks ended May 22, 1903. Estimated population, 1,232. No deaths. No contagious diseases.

Governors Harbor.—Week ended May 23, 1903. Estimated population, 1,500. No deaths and no contagious diseases.

Green Turtle Cay—Abaco.—Two weeks ended May 20, 1903. Estimated population, 3,314. No deaths and no contagious diseases.

Nassau.—Two weeks ended May 25, 1903. Estimated population, 12,535. Number of deaths not reported. No contagious diseases reported.

DUTCH GUIANA—*Paramaribo.*—Month of April, 1903. Estimated population, 32,263. Total number of deaths, 80. No contagious diseases.

GERMANY—*Crefeld.*—Month of April, 1903. Estimated population, 110,389. Total number of deaths, 120, including diphtheria 3, and 1 from measles.

Hanover.—Month of March, 1903. Estimated population, 247,031. Total number of deaths, 322, including 14 from tuberculosis.

GREAT BRITAIN—*England and Wales.*—The deaths registered in 76 great towns in England and Wales during the week ended May 2, 1903, correspond to an annual rate of 17.5 per 1,000 of the aggregate population, which is estimated at 15,075,011.

London.—One thousand five hundred and thirty-three deaths were registered during the week, including measles 67, scarlet fever 9, diphtheria 15, whooping cough 52, enteric fever 3, and diarrhea 27. The deaths from all causes correspond to an annual rate of 17.3 per 1,000.

In Greater London 2,096 deaths were registered. In the "outer ring" the deaths included 6 from diphtheria, 6 from measles, 1 from scarlet fever, 1 from smallpox, and 9 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended May 2, 1903, in the 21 principal town districts of Ireland was 23.3 per 1,000 of the population, which is estimated at 1,093,289. The lowest rate was recorded in Dundalk, viz, 4.0, and the highest in Kilkenny, viz, 49.1 per 1,000. In Dublin and suburbs 201 deaths were registered, including enteric fever 2, measles 1, scarlet fever 2, whooping cough 1, smallpox 1, and 35 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended May 2, 1903, correspond to an annual rate of 19.2 per 1,000 of the population, which is estimated at 1,702,912. The lowest mortality was recorded in Edinburgh, viz, 15.2, and the highest in Greenock, viz, 23.3 per 1,000. The aggregate number of deaths registered from all causes was 628, including diphtheria 1, measles 7, scarlet fever 4, and 32 from whooping cough.

HAWAIIAN ISLANDS—*Honolulu.*—Month of April, 1903. Census population, 39,306. Total number of deaths, 73, including enteric fever 2, whooping cough 1, plague 1, and 10 from tuberculosis.

JAPAN—*Nagasaki.*—Ten days ended April 30, 1903. Estimated population, 131,700. Total number of deaths not reported. No deaths from contagious diseases reported.

ST. HELENA.—Four weeks ended April 30, 1903. Estimated population, 4,000. Total number of deaths, 9. No deaths from contagious diseases.

SPAIN—*Cadiz.*—Month of April, 1903. Estimated population, 69,382. Total number of deaths, 171, including diphtheria 1 and 2 from enteric fever.